

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	28	(187/366).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/21 18:06
S2	172	(187/375).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/24 14:53
S3	341	(187/272).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/24 14:53
S4	111	(187/369).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/25 06:35
S5	12	((("4083432") or ("3441407") or ("1678031") or ("4565264") or ("2274000") or ("6619435"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/25 06:27
S6	91	(187/376).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/25 06:29
S8	28	S6 and governor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 06:29
S9	9	("0467591" "0979491" "1178942" "3249179").PN. OR ("3768597").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/25 06:33
S10	537	hydraulic and elevator and safety and clamp	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/25 06:33
S11	12	(hydraulic near elevator) and (safety same clamp)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/25 06:33
S12	106	(187/360).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/25 06:35
S13	842	hole and (adjustable near beam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 08:13

EAST Search History

S15	192	hole same (adjustable near beam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 14:31
S18	106	(187/360).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/25 11:38
S20	341	(187/272).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/25 11:39
S21	4	(u adj bolt) and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 11:40
S23	70	(u adj bolt) and "187"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 11:41
S24	6366	telescopic same beam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 14:34
S25	83	S24 and (plurality near hole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 14:34
S26	71	S24 and "187"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 15:14
S27	4	(telescopic adj beam) and "187"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 15:16
S28	3	(adjustable adj beam) and "187"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 15:17

EAST Search History

S29	2273	beam near (end adj portion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 15:17
S30	16	(beam near (end adj portion)) and "187"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 15:17
S31	20	("0699375" "1967230" "3124223" "3196996" "3247639" "3325957" "3680711" "3845842" "3851736" "4198421" "4664230" "4770044").PN. OR ("5035300").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/25 15:21
S32	4	((("5773771") or ("6164418"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/26 11:43
S33	1	10/714248	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	AND	ON	2007/07/21 18:07